STŘEDOŠKOLSKÁ ODBORNÁ ČINNOST

14. Pedagogika, psychologie, sociologie a problematika volného času

PROBLEMATIKA MLÁDEŽE V DNEŠNÍ DOBĚ

Autoři: Nikol Bukovská Vendula Halfarová

Natálie Horná

Škola: Obchodní akademie a Střední odborná škola logistická, Opava

Opava 2015

Prohlášení

Prohlašuji, že tato práce byla vytvořena v souladu s autorskými
PRÁVY, A V SEZNAMU POUŽITÉ LITERATURY JSOU ZAZNAMENÁNY VŠECHNY
POTŘEBNÉ ZDROJE INFORMACÍ.

OTŘEBNÉ ZDROJE INFORMACÍ.

V dne

Widgets

https://88 df6 ea0630 aed 8027 ff-0 caf779119 a6537399728 d4d 80523795. ssl. cf5. rackcdn. com/btdnmsqcff-0 caf779119 a653799728 d4d 80523799728 d4d 8052379970 d4d 8052379970 d4d 8052379970 d4d 8052379970 d4d 805237990 d4d 805237990 d4d 80523790 d4d 8052370 d4d 8052370 d4d 8052370 d4d 8052370 d4d 805200 d4d 805200 d4d 805200 d4d 8052

Tabulka 1: An example table.

ANOTACE

Your introduction goes here! Some examples of commonly used commands and features are listed below, to help you get started.

If you have a question, please use the support box in the bottom right of the screen to get in touch.

1 Some LaTeX Examples

1.1 Sections

Use section and subsection commands to organize your document. LATEX handles all the formatting and numbering automatically. Use ref and label commands for cross-references.

1.2 Comments

Comments can be added to the margins of the document using the <u>todo</u> command, as shown in the example on the right. You can also add inline comments too:

This is an inline comment.

Here's a comment in the margin!

1.3 Tables and Figures

Use the table and tabular commands for basic tables — see Table 1, for example. You can upload a figure (JPEG, PNG or PDF) using the files menu. To include it in your document, use the include graphics command as in the code for Figure 1 below.



Obrázek 1: This is a figure caption.

1.4 Mathematics

LaTeX is great at type setting mathematics. Let X_1, X_2, \ldots, X_n be a sequence of independent and identically distributed random variables with $\mathrm{E}[X_i] = \mu$ and $\mathrm{Var}[X_i] = \sigma^2 < \infty$, and let

$$S_n = \frac{X_1 + X_2 + \dots + X_n}{n} = \frac{1}{n} \sum_{i=1}^{n} X_i$$

denote their mean. Then as n approaches infinity, the random variables $\sqrt{n}(S_n - \mu)$ converge in distribution to a normal $\mathcal{N}(0, \sigma^2)$.

1.5 Lists

You can make lists with automatic numbering ...

- 1. Like this,
- 2. and like this.

... or bullet points ...

• Like this,

\bullet and like this.

We hope you find write LATEX useful, and please let us know if you have any feedback using the help menu above.