Instructions for ISCA / ITG Workshop Proceedings

First Author

Affiliation / Address line 1 Affiliation / Address line 2 Affiliation / Address line 3 email@domain

Second Author

Affiliation / Address line 1 Affiliation / Address line 2 Affiliation / Address line 3 email@domain

Abstract

This document is a supplement to the general instructions for authors with papers accepted to the ISCA / ITG Workshop on Diversity in Large Speech and Language Models. It contains instructions for using the LaTeX style files following the template used in *ACL conferences. The document itself conforms to its own specifications, and is therefore an example of what your manuscript should look like.

1 Introduction

These instructions are for authors submitting papers to the ISCA / ITG Workshop on Diversity in Large Speech and Language Models using LaTeX. They are not self-contained. All authors must follow the general instructions for *ACL proceedings, 1 and this document contains additional instructions for the LaTeX style files.

The workshop uses a modified version of the *ACL conference template (see "Formatting Instructions" below). Despite that, the proceedings do not belong to the Association for Computational Linguistics and will not appear in the ACL Anthology.

The templates include the LATEX source of this document (main.tex), the LATEX style file used to format it (acl.sty), an ACL bibliography style (acl_natbib.bst), an example bibliography (custom.bib).

2 Paper Length

The workshop papers may have up to six (6) pages of content plus unlimited pages for references, acknowledgements and references. All figures and tables that are part of the main text must fit within these page limits. The workshop allows the submission of appendices and supplementary material,

which are not required to fit within these page limits.

3 Engines

To produce a PDF file, pdflaTeX is strongly recommended (over original LaTeX plus dvips+ps2pdf or dvipdf). XelaTeX also produces PDF files, and is especially suitable for text in non-Latin scripts.

4 Preamble

The first line of the file must be

\documentclass[11pt]{article}

To use Times Roman, put the following in the preamble:

\usepackage{times}

(Alternatives like txfonts or newtx are also acceptable.)

Please see the LATEX source of this document for comments on other packages that may be useful.

Set the title and author using \title and \author. Within the author list, format multiple authors using \and \And and \AND; please see the LATEX source for examples.

By default, the box containing the title and author names is set to the minimum of 5 cm. If you need more space, include the following in the preamble:

\setlength\titlebox{<dim>}

where <dim> is replaced with a length. Do not set this length smaller than 5 cm.

5 Document Body

5.1 Footnotes

Footnotes are inserted with the \footnote command.²

 $^{^{\}rm I}$ http://acl-org.github.io/ACLPUB/formatting.html

²This is a footnote.

Command	Output	Command	Output
{\"a}	ä	{\c c}	ç
{\^e}	ê	{\u g}	ğ
{\`i}	ì	{\1}	ł
{\.I}	İ	{\~n}	ñ
{\o}	Ø	{\H o}	ő
{\'u}	ú	{\v r}	ř
{\aa}	å	{\ss}	В

Table 1: Example commands for accented characters, to be used in, *e.g.*, BibT_EX entries.

Golden ratio (Original size: 32.361×200 bp)

Figure 1: A figure with a caption that runs for more than one line. Example image is usually available through the mwe package without even mentioning it in the preamble.

5.2 Tables and figures

See Table 1 for an example of a table and its caption. **Do not override the default caption sizes.**

As much as possible, fonts in figures should conform to the document fonts. See Figure 1 for an example of a figure and its caption.

Using the graphicx package graphics files can be included within figure environment at an appropriate point within the text. The graphicx package supports various optional arguments to control the appearance of the figure. You must include it explicitly in the LATEX preamble (after the \documentclass declaration and before \begin{document}) using \usepackage{graphicx}.

5.3 Hyperlinks

Users of older versions of LATEX may encounter the following error during compilation:

\pdfendlink ended up in different nesting level than \pdfstartlink.

This happens when pdfLATEX is used and a citation splits across a page boundary. The best way to fix this is to upgrade LATEX to 2018-12-01 or later.

5.4 Citations

Table 2 shows the syntax supported by the style files. We encourage you to use the natbib styles. You can use the command \citet (cite in text) to get "author (year)" citations, like this citation to a paper by Gusfield (1997). You can use the command \citep (cite in parentheses) to get "(author, year)" citations (Gusfield, 1997). You can use the command \citealp (alternative cite without parentheses) to get "author, year" citations, which is useful for using citations within parentheses (e.g. Gusfield, 1997).

A possessive citation can be made with the command \citeposs. This is not a standard natbib command, so it is generally not compatible with other style files.

5.5 References

The LATEX and BibTEX style files provided roughly follow the American Psychological Association format. If your own bib file is named custom.bib, then placing the following before any appendices in your LATEX file will generate the references section for you:

\bibliography{custom}

Please see Section 6 for information on preparing BibT_FX files.

5.6 Equations

An example equation is shown below:

$$A = \pi r^2 \tag{1}$$

Labels for equation numbers, sections, subsections, figures and tables are all defined with the \label{label} command and cross references to them are made with the \ref{label} command.


This an example cross-reference to Equation 1.

5.7 Appendices

Use \appendix before any appendix section to switch the section numbering over to letters. See Appendix A for an example.

6 BibT_FX Files

Unicode cannot be used in BibTEX entries, and some ways of typing special characters can disrupt BibTEX's alphabetization. The recommended way of typing special characters is shown in Table 1.






Figure 2: A minimal working example to demonstrate how to place two images side-by-side.

Output	natbib command	ACL only command
(Gusfield, 1997)	\citep	
Gusfield, 1997	\citealp	
Gusfield (1997)	\citet	
(1997)	\citeyearpar	
Gusfield's (1997)		\citeposs

Table 2: Citation commands supported by the style file. The style is based on the natbib package and supports all natbib citation commands. It also supports commands defined in previous ACL style files for compatibility.

Please ensure that BibTeX records contain DOIs or URLs when possible, and for all the ACL materials that you reference. Use the doi field for DOIs and the url field for URLs. If a BibTeX entry has a URL or DOI field, the paper title in the references section will appear as a hyperlink to the paper, using the hyperref LATeX package.

Acknowledgements

References

Rie Kubota Ando and Tong Zhang. 2005. A framework for learning predictive structures from multiple tasks and unlabeled data. *Journal of Machine Learning Research*, 6:1817–1853.

Galen Andrew and Jianfeng Gao. 2007. Scalable training of L1-regularized log-linear models. In *Proceedings of the 24th International Conference on Machine Learning*, pages 33–40.

Dan Gusfield. 1997. *Algorithms on Strings, Trees and Sequences*. Cambridge University Press, Cambridge, UK.

Mohammad Sadegh Rasooli and Joel R. Tetreault. 2015. Yara parser: A fast and accurate dependency parser. Computing Research Repository, arXiv:1503.06733. Version 2.

A Example Appendix

This is an appendix.