

Presentation Title

Sub Title

Main Author^{1,2}, Second Author², Third Author³

¹ Presenting author, email.address@memphis.edu

² Mechanical Engineering, The University of Memphis

³ Mechanical Engineering, External Institute

April 28, 2022



Table of Contents



- 1 Introduction
- 2 Methodology
- 3 Results
- 4 Conclusions

SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

Introduction

Background and Motivation



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

Frame content [1].



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

Methodology

Convective form of Cauchy momentum equation is given as:

$$\frac{Du}{Dt} = \frac{1}{\rho} \nabla \cdot (-p\underline{I} + \underline{\tau}) + \underline{f}. \quad (1)$$



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

Results

Interpretation of results



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

HWNP occurs at $Wi = 1.5$ [2].



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

Conclusions

Conclusions



- First item
- Second item
- Third item

SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

References I



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions



D. E. Knuth, *Computers & Typesetting*.

Boston: Addison-Wesley, 1986.



R. Keunings, “A survey of computational rheology,” in *Proceedings of the XIIIth International Congress on Rheology*, vol. 1, pp. 7–14, British Society of Rheology, 2000.

Acknowledgment



SHORT
TITLE

Main Author

Introduction

Methodology

Results

Conclusions

This work was supported by the Funding Agency under grant number 12345.