

VIETNAM NATIONAL UNIVERSITY HO CHI MINH CITY
HO CHI MINH CITY UNIVERSITY OF TECHNOLOGY
FACULTY OF COMPUTER SCIENCE AND ENGINEERING



Course name h

Report type h

Report title h

Advisor(s): Advisor h

Student(s): Student 1 ID 1

Student 2 ID 2

Student 3 ID 3

HO CHI MINH CITY, JUNE 2023



Contents

1	Normal section	4
2	Label prefixes	4
3	Better tables	5
4	Better enumerator	8
5	Codespace	9
5.1	Listings	9
5.2	Minted	10
6	Figures with flexible width	12

List of Figures

6.1	Example image 1x1	12
6.2	Example image A4	13
6.3	Set figure width imperatively	14

List of Tables

3.1	Tabularx table	5
3.2	Long table caption	6

Listings

5.1	External import	9
5.2	External import but with a line range	9
5.3	Embedded	9



1 Normal section

This is how you normally work with \LaTeX , but you can also split a project into smaller files for easier management. To import other files, you can use `\input{}` or `\include{}`. There differences can be found at <https://tex.stackexchange.com/a/250>, but in short

```
\include{filename} = \clearpage \input{filename} \clearpage
```

2 Label prefixes

There are no definite rules for label prefixes, but you can use the following as a guideline.

- **chap:** for chapters
- **sec:** for sections
- **subsec:** for subsections
- **eq:** for equations
- **fig:** for figures
- **tab:** for tables
- **enum:** for enumerators and items
- **fn:** for footnotes
- **lst:** for listings
- **alg:** for algorithms
- **app:** for appendices

The `\caption` macro increases the used counter and sets the current label text which is used by `\label`. If you use `\label` before it the old label text is used instead, which leads to a wrong number. Always use `\label` after `\caption` and not before or in it.

That said, conventions are just conventions, and you can use whatever you want as long as you are consistent.



3 Better tables

The recommended way is by using the `booktabs` package and drop all vertical rules. `tabularx` is simply `tabular` but with `X` environment, meaning that it will try to use all of `\linewidth`.

Table 3.1: Tabularx table

	OOP	FP
Pros		
Cons		

More information can be found at <https://latex-tutorial.com/tables-in-latex/>.

In `tabular`, with the `p`, `m` or `b` column types, sometimes you will notice that the width of the table is wider than the sum of the widths of the columns. This is due to the padding added by the `\tabcolsep` and the line width of the vertical separators which are added by default.

```
1 \tabcolsep + p{length} + \tabcolsep
```

By default, `tabcolsep` is set to 6pt, which equals to 2.12mm in digital printing. The use of `@{}..@{}` voids this behavior.

Additionally, if you have to insert a very long table, which takes up two or more pages in your document, use the `longtable` package.



Table 3.2: Long table caption

Begin of Table	
Something	something else
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this



Continuation of Table 3.2	
Something	something else
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this



Continuation of Table 3.2	
Something	something else
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
Lots of lines	like this
End of Table	

You may use the `\label` command so that you can cross reference longtables with `\ref`. Note however, that the `\label` command should not be used in a heading that may appear more than once. Place it either in the firsthead, or in the body of the table. It should not be the first command in any entry.

4 Better enumerator

Normal enumerator gets the job done, but what if you want custom numbering? This implementation allows custom labeling, either by pre-defined rules or in-place.

d.yeah First item

e.yeah Second item

custom Third item



5 Codespace

5.1 Listings

This is the recommended way to insert simple code.

Listing 5.1: External import

```
1 class iostream:
2     def __lshift__(self, other):
3         print(other, end='')
4         return self
5
6     def __repr__(self):
7         return ''
8
9
10 if __name__ == "__main__":
11     cout = iostream()
12     endl = '\n'
13     cout << "Hello" << ", " << "World!" << endl
```

Listing 5.2: External import but with a line range

```
1 if __name__ == "__main__":
2     cout = iostream()
3     endl = '\n'
4     cout << "Hello" << ", " << "World!" << endl
```

Listing 5.3: Embedded

```
1 from typing import Iterator
2
3 # This is an example
4 class Math:
5     @staticmethod
6     def fib(n: int) -> Iterator[int]:
7         """Fibonacci series up to n."""
```



```
8     a, b = 0, 1
9     while a < n:
10        yield a
11        a, b = b, a + b
12
13 result = sum(Math.fib(42))
14 print("The answer is {}".format(result))
```

- Inline

```
print('Hello, world!')
```

5.2 Minted

This provide better looking code, but requires external setup:

Minted requires python Pygments and the `--shell-escape` flag.

- External import

```
1 class iostream:
2     def __lshift__(self, other):
3         print(other, end='')
4         return self
5
6     def __repr__(self):
7         return ''
8
9
10 if __name__ == "__main__":
11     cout = iostream()
12     endl = '\n'
13     cout << "Hello" << ", " << "World!" << endl
```

- With a line range



```
1 if __name__ == "__main__":
2     cout = iostream()
3     endl = '\n'
4     cout << "Hello" << ", " << "World!" << endl
```

- Embedded

```
1 from typing import Iterator
2
3 # This is an example
4 class Math:
5     @staticmethod
6     def fib(n: int) -> Iterator[int]:
7         """Fibonacci series up to n."""
8         a, b = 0, 1
9         while a < n:
10            yield a
11            a, b = b, a + b
12
13 result = sum(Math.fib(42))
14 print("The answer is {}".format(result))
```

- Inline

```
print('Hello, world!')
```



6 Figures with flexible width




Figure 6.1: Example image 1x1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Figure 6.2: Example image A4



With `\adjoinincludegraphics` (or `\adjustimage`) you can also use the original width as `\width`:




Figure 6.3: Set figure width imperatively



References

- [1] Donald E. Knuth. Literate programming. *The Computer Journal*, 27(2):97–111, 1984.
- [2] Donald E. Knuth. *The T_EX Book*. Addison-Wesley Professional, 1986.
- [3] Leslie Lamport. *L^AT_EX: a Document Preparation System*. Addison Wesley, Massachusetts, 2 edition, 1994.
- [4] Michael Lesk and Brian Kernighan. Computer typesetting of technical journals on UNIX. In *Proceedings of American Federation of Information Processing Societies: 1977 National Computer Conference*, pages 879–888, Dallas, Texas, 1977.
- [5] Frank Mittelbach, Michel Gossens, Johannes Braams, David Carlisle, and Chris Rowley. *The L^AT_EX Companion*. Addison-Wesley Professional, 2 edition, 2004.